



GENERAL FIXTURES/FURNISHING/EQUIPMENT

170 LOCKERS

Manufacturer: Washroom Washroom Ltd: Units 1-10 Hill Farm, Epping Lane, Abridge, Essex, RM4 1TU. T: 0800 999 8888 | Email: estimating@washroom.co.uk | Web: www.washroom.co.uk

Octave Charging Lockers

Individual Charging Lockers with Digi Lock -HPL Doors

Manufacturer Washroom Washroom Ltd, Units 1-10 Hill Farm, Epping Lane, Abridge, Essex, RM4 1TU.

T: 0800 999 8888 | Email: estimating@washroom.co.uk | Web: www.washroom.co.uk

Configuration: Up to 10 tiers

Doors: 18mm MR MDF faced on both sides with high pressure laminate (HPL).

Colours: To be confirmed from WW standard HPL range, subject to depth of partition.

Edge treatment: Edges lipped with matching laminate or corresponding PVC.

Locker bodies: 19mm moisture resistance (MR) melamine faced chipboard (MFC).

Colours: To be confirmed from WW standard MFC range, subject to depth of partition.

Edge treatment: Edges lipped with matching laminate or corresponding PVC.

Fittings: Aluminium sprung locker hinges with stainless steel pins & springs / surface mounted engraved

number plates / Digi lock

Charging Point: Each compartment has a single powerpoint with up to 2 USB outlets. Supplied in white plastic

as standard. All electrical works by others

Dimensions: 1800mm overall height x 300mm wide x 500mm deep.

Other requirements: Plinths by others. Master keys are not allowed for within quotation and are available upon

request at a cost





GENERAL FIXTURES/FURNISHING/EQUIPMENT

170 LOCKERS

Manufacturer: Washroom Washroom Ltd: Units 1-10 Hill Farm, Epping Lane, Abridge, Essex, RM4 1TU. T: 0800 999 8888 | Email: estimating@washroom.co.uk | Web: www.washroom.co.uk

Octave Charging Lockers

Individual Charging Lockers with Digi Lock -MFC Doors

Manufacturer Washroom Washroom Ltd, Units 1-10 Hill Farm, Epping Lane, Abridge, Essex, RM4 1TU.

T: 0800 999 8888 | Email: estimating@washroom.co.uk | Web: www.washroom.co.uk

Configuration: Up to 10 tiers

Doors: 19mm moisture resistance (MR) melamine faced chipboard (MFC).

Colours: To be confirmed from WW standard MFC range

Edge treatment: Edges lipped with matching laminate or corresponding PVC

Locker bodies: 19mm moisture resistance (MR) melamine faced chipboard (MFC).

Colours: To be confirmed from WW standard MFC range

Edge treatment: Edges lipped with matching laminate or corresponding PVC.

Fittings: Aluminium sprung locker hinges with stainless steel pins & springs / surface mounted engraved

number plates / Digi lock

Charging Point: Each compartment has a single powerpoint with up to 2 USB outlets. Supplied in white plastic

as standard. All electrical works by others

Dimensions: 1800mm overall height x 300mm wide x 500mm deep.

Other requirements: Plinths by others. Master keys are not allowed for within quotation and are available upon

request at a cost





GENERAL FIXTURES/FURNISHING/EQUIPMENT

170 LOCKERS

Manufacturer: Washroom Washroom Ltd: Units 1-10 Hill Farm, Epping Lane, Abridge, Essex, RM4 1TU. T: 0800 999 8888 | Email: estimating@washroom.co.uk | Web: www.washroom.co.uk

Octave Charging Lockers

Individual Charging Lockers with Digi Lock -Veneer Doors

Manufacturer Washroom Washroom Ltd, Units 1-10 Hill Farm, Epping Lane, Abridge, Essex, RM4 1TU.

T: 0800 999 8888 | Email: estimating@washroom.co.uk | Web: www.washroom.co.uk

Configuration: up to 10 tiers

Doors: 18mm MR MDF faced on both sides with real wood veneer.

Veneer species: ????, with factory applied 2 part AC lacquer.

Edge treatment: All edges lipped in corresponding hardwood, vertical edges to run through

Locker bodies: 19mm moisture resistance (MR) melamine faced chipboard (MFC).

Colours: To be confirmed from WW standard MFC range

Edge treatment: Edges lipped with matching laminate or corresponding PVC.

Fittings: Aluminium sprung locker hinges with stainless steel pins & springs / surface mounted engraved

number plates / Digi lock

Charging Point: Each compartment has a single powerpoint with up to 2 USB outlets. Supplied in white plastic

as standard. All electrical works by others

Dimensions: 1800mm overall height x 300mm wide x 500mm deep.

Other requirements: Plinths by others. Master keys are not allowed for within quotation and are available upon

request at a cost